




THE CHORDATE ZOOLOGY



HAMID KHAN BHATTI
TAJAMMUL HUSSAIN HASHIMI



THE CARAVAN BOOK HOUSE LAHORE
KUTCHERY ROAD, LAHORE

CONTENTS

	Pages
Preface	v
List of contents	ix
PHYLUM CHORDATA	1
Geological Chart of Vertebrate Succession	4
SUB-PHYLUM ADELOCHORDATA (HEMICHORDATA)	6
Classification	6
Class Enteropneusta	7
Types : <i>Balanoglossus</i> , <i>Saccoglossus</i> , <i>Dolichoglossus</i>	7
Class Pterobranchia	14
Affinities of Adelochordata	18
SUB-PHYLUM TUNICATA (UROCHORDATA)	18
Classification	19
Class Ascidiacea	19
Type : <i>Ascidia</i> , <i>Herdmania</i>	19
Classification and General Organisation	29
Affinities	31
Class Thaliacea	32
Classification	32
Order Doliolida (Cyclomyaria) : <i>Doliolum</i>	32
Order Pyrosomida : <i>Pyrosoma</i>	34
Order Salpida (Desmomyaria) : <i>Salpa</i>	35
Class Larvacea (Appendicularia)	37
General Organization	37
Affinities	39
SUB-PHYLUM ACRANIA (CEPHALOCHORDATA)	39
Type : <i>Amphioxus</i> (<i>Branchiostoma</i>), The Lancelet	39
Affinities	52
SUB-PHYLUM CRANIATA (VERTEBRATA)	54
Diagnostic Characters of the Craniata	54
Classification	56
Super-Class Agnatha	56
Classification	57
Class Euphanerida	57
Class Petromyzontia	57
Type : <i>Petromyzon</i> —The Lamprey	57

AUTHORS.

(vii) **Contents**

Class Myxinoidea	6	
General Character of Myxinoidea	6	
Affinities of Extant Agnatha (Cyclostomata)	6	
Super-Class Gnathostomata	7	
Classification	7	
Class Placodermi (Aphetohyoidea)	7	
Class Elasmobranchii (Chondrichthyes) (Selachii)	7	
Classification	7	
Sub-class Selachii	7	
Order Euselachii	7	
Type : <i>Scoliodon</i>	7	
Classification and General Organisation of Selachii	7	
Order Euselachii	7	
Sub-class Brachyodonti	7	
Order Holocephali	7	
General Organization of Holocephali	7	
Class Osteichthyes	115	
Sub-class Actinopterygii	121	
Classification and General Organisation	121	
Super-order Chodrostei	121	
Order Acipenseroides	121	
Order Polypterini (Cladistia)	121	
Affinities	121	
Super-order Holostei	121	
Order Semionotoidea	121	
Order Amioides	121	
Super-order Teleostei	121	
Type : <i>Rita rita</i> —A Cat-fish (Soft-parts)	121	
<i>Labo roh'ia</i> —A Carp (Skeleton)	121	
Classification and General Organisation of Teleostei	121	
Soft-rayed orders	121	
Intermediate orders	121	
Spiny-rayed orders	121	
Sub-class Crosspterygii (Choanichthyes)	121	
Classification	121	
Order Rhipidistia	121	
Sub-order Osteolepidoti	121	
Sub-order Coelacanthini (Actinistia)	121	
Order Dipnoi (Dipneusti)	121	
	121	

Page

Classification
General Organisation
Affinities

Class Amphibia
Type : *Rana tigrina*
Classification and

Sub-class Apisdespondyli
Super-order Lab

Orders Ichthyos
Embolomeri ;
Super-order S
Order Seymo
Order Anura

Sub-class Lepospondyli
Order Uro
Order Ap

Class Reptilia
Type : L

Genera
Evolu
Class

Sub-class A
Ord

Sub-class
O

Sub-or
Sub-o
Sub-c

	Contents	(28)
	Pages	
Classification	...	203
General Organisation of Types	...	203
Amphibia	...	211
Amphibia	...	213
Type 1: <i>Rana tigrina</i>	...	211
Classification and General Organisation	...	219
Sub-class Anura	...	242
Super-order Labyrinthodontia	...	243
Order Leptotyphlopoda; Rhachionot; Stereospodii	...	243
Embryonem (Reynourianomorph)	...	243
Super-order Batentia (Anura, Batrachia)	...	243
Order Reynourianomorph	...	244
Order Anura	...	249
Sub-class Lepospondyli	...	249
Order Urodela (Caudata)	...	260
Order Apoda (Gymnophiona, Caecilia)	...	262
Class Reptilia	...	262
Type 1: <i>Uromastix hardwickii</i> Gray (Soft parts)	...	280
<i>Varanus monstrosus</i> (Skeleton)	...	293
General Organisation and Classification of Class Reptilia	...	293
Evolution of temporal region	...	297
Classification	...	297
Sub-class Anapsida	...	297
Order Colylosauria	...	297
Order Chelonina	...	298
Sub-class Lepidosauria	...	298
Order Rhynchocephalia	...	298
Order Squamata	...	298
Sub-order Lacertilia	...	298
Sub-order Ophidia	...	298
Sub-class Archosauria	...	299
Order Crocodilia	...	299
General Account of Chelonina	...	307
General Account of Rhynchocephalia	...	310
General Account of Lacertilia	...	315
General Account of Ophidia (Serpentes)	...	321
General Account of Crocodilia	...	321

23

1

3

General Account and
Order Chiroptera
General Account and
Order Dermoptera

:

...

:

...

⋮

⋮

:

:

⋮

Cohort Glires
Order Rodentia
Order Lagomorpha

⋮

•

•

**Cohort Fernung
Super-order Fe
Order C**

•

•

Generi
Sub-oi
Sub-o

...

•

3

...

Super-ord
Or
G
O

...

...	329	...
...	329	...
...	331	...
...	362	...
...	362	...
...	364	...
...	364	...
...	366	...
...	366	...
...	367	...
...	368	...
...	369	...
...	373	...
...	375	...
...	377	...
...	380	...
...	381	...
...	386	...
...	399	...
...	399	...
...	434	...
...	434	...
...	438	...
...	463	...
...	463	...
...	464	...
...	466	...
...	466	...
...	467	...
...	468	...
...	469	...
...	472	...
...	473	...
...	473	...
...	473	...
...	473	...
...	474	...

Contents		(xii)
	Pages	
General Account and Classification	474	
Order Chiroptera	475	
General Account and Classification	476	
Order Dermoptera	477	
General Account	477	
Order Edentata	478	
General Account and Classification	479	
Order Pholidota	481	
General Account	481	
Order Primates	482	
Classification	483	
Sub-order Prosimii	483	
Infra-order Lemniformes	483	
Infra-order Tarsiiformes	484	
Infra-order Lorisiformes	485	
Sub-order Anthropoidea	485	
Cohort Glires	488	
Order Rodentia. General Account	488	
Order Lagomorpha. General Account	491	
Cohort Multica	491	
Order Cetacea	491	
General Account	491	
Sub-orders Odontoceti ; Mysticeti (Mystacoceti)	493	
Cohort Ferungulata	495	
Super-order Ferae	495	
Order Carnivora	495	
General Account	495	
Sub-order Fissipedia	496	
Sub-order Pinnipedia	499	
Super-order Protoungulata	501	
Order Tubulidentata	501	
General Account	501	
Super-order Paenungulata (Sub-Ungulata)	501	
Order Hyrocoidea	502	
General Account	503	
Order Proboscidea	503	
General Account	503	
Order Sirenia	506	

Contents

29-1-70

The Phylum Chordata is defined on the basis of the presence of Amphioxus and Tunicates. The chordata are divided into the following groups: 1. Sub-phylum ADELPHOPHYSA 2. TUNICATA 3. ACRANIA 4. CRANIA

The members of the phylum Chordata are divided into four groups: 1. PROTOCHORDATA 2. NERVOUS SYSTEM 3. VERTEBRAL COLUMN 4. CHORDATA

The chordates are defined as those animals which possess a notochord, a dorsal nerve cord, and a pharynx with slits. But they possess a notochord, a dorsal nerve cord, and a pharynx with slits. But they possess a notochord, a dorsal nerve cord, and a pharynx with slits. But they possess a notochord, a dorsal nerve cord, and a pharynx with slits.

29-1-90

The phylum Chordata is based on the basis of the presence of the following characters in the following phyla: Adipose, Sub-phyla Adipose, and

TUNICA
ACRAMI
GRANDI

**The mem
as PROTOCHON
nervous syste
vertebral col**

The cho
ganised vert
But they po
mental and
to indicate

(1) Nephelium, is a dorsal mid non-vertebral and in the vacuolated structure (Hemichordata) the gut known as is replaced it remains

(2)

21st April, 98.
Jan, 99.
Jan, 99.
Left. Sick.
Came back.
Sick.